A repid method for ra	dium determination		8/186/60 A051/A13	/002/005 0	/016/017	j
Table: (1) Composi- tion of the initial solutions; (2) Wa-	Соотав нехорных растворов	(2, 1) BOTM OGPON	Banto Ra (n r)	Oпределено Ita (в г)	Результат в поправной на вдеорб- б цию	
	ода дистиллярованная + эталон 8 . о же	0.5 1 1 10	1.34 · 10-9 1.34 · 10-19 1.34 · 10-11 1.34 · 10-18	1.25 - 10-9 1.10 - 10-19 1.5 - 10-11 1.37 - 10-12	1.37 · 10-1 1.21 · 10-14 1.65 · 10-11 1.50 · 10-12	
with correction for B adsorption, (a, b, B c and d) distilled B	ода водопроводная + эталоп, +0.25 г Na ₂ SO ₄ + 0.25 г MgSO ₄ + 0.5 г Na ₂ SO ₄ + +0.5 г MgSO ₄ + 0.5 г Na ₂ SO ₄ + ода водопроводиая + 1 г Na ₂ SO ₄ +	1. 1	1.34 · 10 ⁻¹⁰	1.23 · 10-10 1.35 · 10-10	1.35 • 10-14	
(e) water from the B pipeline + standard T	+1 г MgSO4(8) ода водо: "сводная + 1.25 г H ₂ SO ₄ + + эталон.	0.25 0.25	2.5 · 10 ⁻¹⁰ 1.34 · 10 ⁻¹⁰ 6.7 · 10 ⁻¹¹	2 - 10-16 1.08 - 10-16 6 - 10-11	2.42 · 10-10 1.19 · 10-16 6.6 · 10-11	50
+ 0.25 g Na ₂ SO ₄ + 0.25 g MgSO ₄ ; (f)	ne + 0.5 g Na ₂ SO ₄ + 0.5	0.25 0.25	3.35 · 10-11 1.34 · 10-11	3.12 · 10-11 1.59 · 10-11	3.43 · 10-11 1.74 · 10-11	
+ 1 g Na2SO4 + 1 g Mg standard.	SO ₄ ; (h, i, j and k) pip	eline	vater +	1.25 g H	2 ⁸⁰ +	2.25
Card 4/4						

GUBAREV, G.; ZOTOT'KO, S. prepodavatel'; NAYDENOV, V.; ZHAROV, P.; RAHY-SHNIKOV, V.

Continuing the discussion of problems of labor organization under conditions of new technology. Sots. trud 5 no.5:66-74 My '60.

(MIRA 13:11)


1. Machal'nik otdela truda i zarplaty Rostovskogo sovnarkhoza (for Gubarev). 2. Vysshaya partiynaya shkola, Khar'kov (for Zolot'ko).

3. Machal'nik tsekhovogo byuro truda i zarabotnoy platy Khar'kovskogo traktornogo zavoda (for Naydenov). 4. Nauchno-issledovatel'skiy institut truda, Moskya (Zharov). 5. Nachal'nik toklal truda i zarplaty Tushno-Assakhstanskogo sovnarkhoza (for Baryshnikov).


(Labor and laboring classes)


(Automation) (Technological innovations)


VOROTNIK	OVA, V.; ZHAROV,	sults of the st	udv show.	Sots. trud	7 no.9:	
	117-122 5 '6	2.			(MIRA 15:9	
	1. Nauchno-iss	ledovatel'skiy	institut tr	uda. s)		



ZHAROV,	What does our experience teach? Zhilkom.khoz. 12 no.8:9 Ag '62. (MIRA 16:2)
	1. Upravlyay shehiy Moskovskoy kontoroy neplanovykh kormov. (Hafuse and fefuse disposal) (Swine seeding and feeds)
	하는 경기에 가는 사람이 되었다. 이 생활을 하는 사람이 되는 사람이 가는 사람이 되었다. 그는 사람이 되었다. 그는 사람이 되었다. 그는 사람이 모르는 것을 받았다. 사람이 사용하는 사람이 가장 보고 있는 것을 들었다. 그는 사람이 가장 보고 있는 사람이 되었다. 그는 사람이 사람이 되었다. 그는 사람에








"Repeated admir tissues investigated Biochemists, and Pha	nistration of caffe ", paper mead at the prescologists, Sven	the First Ural Con	ference of Phys	in all ologists,
Sum. 1305				
통하다 하시는 아무스 사이는 . 제. 12. 1 - 12. 12. 12. 12. 12. 12. 20. 12. 12. 13. 12. 12. 12. 12. 12.				
[1] 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				

BOGOLYUBSKIY, N.; BORISOV, S.; GRIGOR'YEV, N.; GUSAROV, M.; GUSEV, L.; ZHAROV. S.; ZHETVIN, M.; ZALOGIN, S.; ZOLOTOV, G.; IHOZEMTSEV, M.;
KLEMENT YEVA, A.; KOMAROV, A.; KOSMACHEV, V.; LAPTEV, V.; LOMOHOSOV, V.;
MIKHAYLOV, A.; NOVIKOV, I.; PERTSEV, M.; PROKOPOVICH, P.; ROMAROV, I.; RUBLINSKAYA, R.; SVIRIDOV, G.; SOTNIKOV, G.; SUBBOTIN, A.; TURTANOV, I.; CHESIOKOV, S.; CHICHKIN, K.; CHIKHANOV, I. Grigorii Markelovich Il'in; an obituary. Metallurg 3 no.10:36 0 158. (MIRA 11:10) (Il'in, Grigorii Markelovich, 1894-1958)



ZHAROV, S. G., Cand. Medic. Sci. (diss) "Physiological Basis of Norms of Excess Oxygen Pressure Under Mask at High Altitudes," Moscow, 1961, 14 pp. (Centr. Inst. Improvem. of Trng of Doctors) (KL Supp 12-61, 284).

27943 S/177/61/000/009/001/002 D264/D303

27.2200

AUTHORS:

5-72 = W

Zharov, S.G. and Ivanov, A.Ye., Lieutenant Colonels,

Medical Corps

TITLE:

The effects of large atmospheric pressure drops on

man at great heights

PERIODICAL:

Voyenno-meditsinskiy zhurnal, no. 9, 1961, 61-65

A study was made of the physiological effects of pressure drops of 0.4-0.5 atmospheres in 1-1.5 seconds up to heights of 16,000-18,000 meters. The experiments were carried out in a pressure chamber, oxygen being supplied through the KKO-1 oxygen apparasure chamber, oxygen being supplied throughout the tests was assestus. The subjects general condition throughout the tests was assestus. sed from conditional motor reflexes, electro-encephalograms, electrocardiograms, electromyograms of the abdominal muscles, changes in respiration, behavior and outward appearance. The most marked functional changes were induced by the first experience of pressure Affected by the first pressure drop at 16,000-18,000 meters, drop.

Card 1/4

CIA-RDP86-00513R002064610007-5"

APPROVED FOR RELEASE: 07/19/2001

27943 S/177/61/000/009/001/002 D264/D303

The effects of large atmospheric ...

all the subjects lost the motor response to the first conditioned stimulus, while the latent period of the conditioned reflex to the next 2 or 3 stimuli was lengthened considerably. In subsequent tests, the effects of the pressure drop were less marked: the latent period of the first stimulus was lengthened 2-3 times, but the other reactions showed no change. From published data and their own findings the authors conclude that pressure drops stimulate own findings the authors conclude that pressure drops stimulate very many of the body's receptors. Powerful impulses enter the central nervous system via the afferent paths and induce foci of excitation in the cortical endings of the corresponding analyzers. By the mechanism of intercenter relations, these foci in turn induce phenomena of external inhibition. No great changes were noted in the bioelectric activity of the brain after the pressure drop, in the bioelectric activity of the brain after the pressure drop, which indicates that the subjects sustained no marked hypoxic lesions. The increase in heart contractions by 20-30 beats/min varied directly with the degree of air exhaustion from the chamber, and was due more to the extent of the excess oxygen pressure than to hypoxia. The electrocardiograms gave evidence of circulatory

Card 2/4

The effects of large atmospheric...

表 医多数型 连直接 等 医全体性 [155] 150 140 (46) (46) [15] 150 (46) [15]

27943 S/177/61/000/009/001/002 D264/D303

difficulties in the pulmonary system due to the excess oxygen pressure in the lungs. This entails improvements in the compensating suits' protective properties. After the end of the pressure drop there ensued a prolonged exhalation, often followed by 2-3 normal exhalations. This was followed by rhythmic, but usually more rapid, respiration. Pressure drops led to bioelectric activity in the abdominal muscles in all the subjects, lasting mostly for 2-3 seconds, i.e., before the first exhalation. During conversation under the effects of the pressure drop biocurrents from the abdominal muscles were intensified during both exhalation and inhalation, pointing to considerable difficulty in speech formation. No pain symptoms were reported, although the use of oxygen masks instead of helmets led to increased tear secretion and congested hyperemia of the face, neck, wrists and feet. No pathological lesions of the viscera were noted. Thus, in the first 3-6 seconds after the pressure drop there was some inhibition of the conditioned reflexes and disturbance of the respiratory rhythm. Changes in the biocurrents of the brain and heart were moderate and corresponded generally with the results

Card 3/4

The effects of large atmospheric...

27943 S/177/61/000/009/001/002 D264/D303

of tests with a smooth rise to the same heights. To a large extent these changes were entailed by the action of excess oxygen pressure. The authors conclude that pressure drops of 0.4-0.5 atm in 1-1.5 sec to a height of 16,000-18,000 meters present no dangers to a man breathing oxygen at a pressure up to 130 ± 5 mm Hb and wearing a compensating suit. A.P. Apollonov, M.I. Vakar, D.I. Ivanov, P.N. Ivanov, A.G. Kuznetsov, D.Ye. Rozenblyum and I.M. Khazen are menprotecting against pressure drops. There are 3 figures and 1

SUBMITTED:

July 1961

X

Card 4/4

ACCESSION NR: AT4042680

s/0000/63/000/000/0182/0185

AUTHOR: Zharov, S. G.; Il'in, Ye. A.; Kovalenko, Ye. A.; Kalinichenko, I. R.; Karpova, L. I.; Mikerova, N. S.; Osipova, M. M.; Simonov, Ye. Ye.

TITLE: The study of the prolonged effects on man of an atmosphere with an increased CO2 content

SOURCE: Konferentsiya po aviatsionnoy i kosmicheskoy meditsine, 1963. Aviatsionnaya i kosmicheskaya meditsina (Aviation and space medicine); materialy konferentsii. Moscow, 1963, 182-185

TOPIC TAGS: carbon dioxide effect, man, pressure chamber, acidosis, hypodynamia, fatigue

ABSTRACT: Two experiments were performed in which human subjects were kept in pressure chambers with a capacity of 7 cubic meters at an air temperature of 20+2°C and a relative humidity of 40 to 60%. Oxygen content varied from 19 to 22%. In the first experiment, the CO level was maintained at 1% and in the second experiment at 2%. Two subjects were used in each experiment; each experiment lasted thirty days. Examination of the physiological indices indicates that the

Card 1/2

ACCESSION NR: AT4042680

presence of men in an atmosphere of limited capacity with an increased CO content leads to acidosis, hypodynamia, and fatigue. The intensity of acidosis increases with an increase of CO content from 1% to 2% and increases with the duration of time spent in the chamber. Subjects who remained in the test chamber for thirty days with a CO content equal to 1% maintained their work capacity on a sufficiently high level. When exposed to physical loads, subjects who had spent thirty days in an atmosphere of 2%CO manifested a sharp decrease in work capacity and a significant strain on the functions of the organism. However, the functional changes observed were completely reversible.

ASSOCIATION: none

SUBMITTED: 27Sep63

ENCL: 00

SUB CODE: LS

NO REF SOV: OCO

OTHER: 000

Card 2/2

"Effect phere."	on the bo	dy of pi	rolong	ed ex	posure to co	nd1t1on	s of art	ificial a	tmos-	
		at the	15th	Intl	Astronautica	1 Cong,	Warsaw,	7-12 Sep	64.	

AGAIZHANYAN, N.A.; ZHAROV, S.G.; KALINICHENKO, I.R.; KARPOVA, L.I.;
KAPLAN, Ye.Ya.; KUZNETSOV, A.G.; CSIPOVA, M.M.; MAZIN, A.N.;
SERGIYENKO, A.V.

Effect of various rates of decompression on the human body.
Voen. med. zhur. no.10:49-53 0 '65. (MIRA 18:11)

ACC NR. AT6036561

SOURCE CODE: UR/0000/66/000/000/0169/0170

表现是重要的 1995年 1995

AUTHOR: Zharov. S. G.; Kuzminov, A. P.; Kas'yan, I. I.; Maksimov, D. G.; Onishchenko, V. F.; Popov, V. A.

DRG: none

TITLE: The problem of investigating pilot work capacity during long sojourns in spaceship mockups [Paper presented at the Conference on Problems of Space Medicine held in Moscow from 24 to 27 May 1966]

SOURCE: Konferentsiya po problemam kosmicheskoy meditsiny, 1966. Problemy kosmicheskoy meditsiny. (Problems of space medicine); materialy konferentsii, Moscow, 1966, 169-170

TOPIC TAGS: isolation test, human physiology, hypodynamia, respiratory system, space physiology

ABSTRACT: On prolonged spaceflights, cosmonaut work activity will take place during the exposure of the organism to a whole group of unusual factors (weightlessness, prolonged isolation, hypodynamia, altered gas medium, and so forth). Study of the effect on man of these factors is of great practical importance.

The purpose of the present investigation is to study the condition and work capacity of man during a prolonged sojourn in a spaceship mockup.

Card 1/3

ACC NR. AT6036561

For this purpose, four 3-day experiments and one 12-day experiment were conducted (the latter was a control experiment without special countermeasures against hypodynamia). The volunteer subjects wore ventilated suits. They remained seated in a space cabin couch throughout the whole time of the experiment. The couch was fully isolated from the external environment. The work activity of the subjects was carried out according to a schedule approximating spaceflight conditions. At scheduled times they performed test tasks in the operation of a manual attitude control system, information transmission, correction tests, and so forth. During the experiment complex recordings were made of physiological functions (EEG, EKG, PG, EMG, and galvanic skin response).

Analysis of the experimental data showed that during a three-day stay in a spaceship mockup, the general condition of the subjects was practically unchanged. The investigated physiological indices remained within normal limits. The work activity of the subjects dropped off a bit in the first day, but returned to initial levels on the second and third days of the experiment.

In the 12-day experiment, the tendency toward lowered work capacity

Card 2/3

ACC NR. AT6036561
was more pronounced. Thus, on the first, fifth, seventh, and eleventh days, a one and one-half to two-fold decrease in the accuracy of ship attitude control from angular coordinates was recorded. The time required for information transmission increased toward the end of the experiment by an average of 10%. In the correction tests, the information capacity of the visual analyzer dropped from 1.7 to 1.3—1.5 bits/sec. The red and blue light contrast sensitivity of the eyes decreased 35% and 40%, respectively, from L. N. Meyer's data.

Numerous changes in physiological indices were also noted toward the end of the experiment. Thus, for example the EEG's showed a stagrant exaltation of alpha rhythms. Tests with sudden random signals requiring a response reaction from the subject showed a decrease in electromyogram amplitude from $300-200\mu v$ and a galvanic skin response amplitude decrease from $650-480\mu v$.

The observed functional shifts in the state of the subject during a 12-day stay in a spaceship mockup indicate that further study of pilot work capacity under analogous conditions is necessary, as is an effort to find optimal work-rest schedules for cosmonauts on prolonged spaceflights. [W.A. No. 22; ATD Report 66-116] SUB CODE: 06 / SUBM DATE: OOMay66

exceptions with the section of the s

ACC NR: AP7003182 SOURCE CODE: UR/0317/66/000/012/0078/0085

AUTHOR: Zharov, V. (Colonel; Reviewer for the journal Tekhnika i vooruzheniye)

ORG: none

TITLE: British land units

SOURCE: Tekhnika i vooruzheniye, no. 12, 1966, 78-85

TOPIC TAGS: military operation, military policy


ABSTRACT:


Based on foreign sources, the author analyzes in detail the military potential of the British army, Britain's role within NATO, and its role in the rearming of Germany. The author concludes that the actual reorganization of British land units foresees the creation of well-armed and highly mobile units capable of conducting effective action under normal conditions, as well as under conditions of nuclear war. Orig. art. has: 3 figures and 4 tables.

SUB CODE: 15/ SUBM DATE: none / ATD PRESS: 5111

Card 1/1

그래면 그를 내가 선택하는 그는	V., inzh. Salety de	vice. Okhr	s. truda i	sots. stra	kh. 7 no.2	:40 F	164.		
	1. Instit	ut metallu	rgii imeni	A.A.Bayko	va.		(MIRA 17	7:2)	








MACHINKIN, O.I.; PEREPELKIN, K.Ye.; YUFEREV, N.S.; ZHAROV, V.A.


Microapparatus for the formation of filaments. Khim.volok.
no.5:45-46 '62. (MIRA 15:11)


1. Leningradskiy filial Vsesoyuznogo nauchno-issledovatel'skogo
instituta iskusstvennogo volokna.
(Spinning)
(Textile fibers, Synthetic)




















ZHAROV, Viktor Leont'yevich; ZHEREBENKOV, Yuriy Frolovich;
KADIL'NIKOV, Yuriy Viktorovich; KUZNETSOV, Vitaliy
Prokof'yevich; KUDIKINA, Ye., red.

[Tuna fish and tuna fisheries in the At antic Ocean]
Tuntsy i ikh promysel v Atlanticheskom okeane. Kaliningrad,
Kaliningradskoe knizhnoe izd-vo, 1964. 181 p.

(MIRA 18:9)

1. Atlanticheskiy nauchno-issled atel'skiy institut rybnogo
khozyaystva i okeanografii (for all except Kudikina).

POLESHCHUK, V.D.; DREMOVA, V.P.; VOLKOV, Yu.P.; ZHAROV, V.V.

Methodology of studying attractants. Zhur. mikrobiol., epid. 1
immun. 42 no.8:18-22 Ag '65. (MIRA 18:9)

1. TSentral'nyy nauchno-issledovatol'skly dezinfektsicnnyy institut, Moskva.


Radiotekhnil	ca (Radio Equi	paent), by N. I.	CHISTYAKOV and	V. D. ZH490V	Voyenizdat,	
price 11 rul	bles 50 kopeck	poent), by N. I. s. (Pravda Ukra	ny, Kiev, 15 Ju	n 54)	THE STATE OF	
so: sum no.	. 224, 28 Sep	54)				
	16명 기하다. 경영관합니다					

M111	tary	Publis	shing H	ngineer ouse, 1 Feb 54)	953.47	A textbo B pages	ook, by , price	No.I. 11 ru	CHISTYA bles, 7	KOV, a O kopei	nd <u>V.</u> iks.	D. ZHAR	<u>w</u> .	
50:	SUM	163,	9 July	1954.										
				yr igi										
				r de Hundig A										
1														
								100					4.분설로	
Haff Sta Start Waster								di sing						
								u vilos Laborator						
				Maria de Carlos Oprinsias de Carlos										
														1-1
											1 4 1			
							King Pige							
											14.5			


ZHAROV, V. D.	
Kislorodnoye Oborudovaniye Samoletov-Uchebnoye Posobiye (The Oxygen Equipment of Airplanes A Textbook.	
By N. G. SAVENKOV and V. D. ZHAROV. Military Publishing House, 1953, 478 pages, price 11 rubles, 50 kopecks. (Krasnaya Zvezda, 25 Feb 54)	
SO: SUM 163, 19 July 1954.	
마음을 가는 사람이 있는 것을 하는 것이 되고 있는 것이 되었다. 	
마음을 보고 있는데 보고 있는데 되었다. 이 사람들은 이 사람들이 되었다. 그런데 그는데 그는데 그는데 그는데 그는데 그는데 그를 보고 있다. 	

er og at transfer skriverer og er skriverer i stande skriverer i menten mennem fræn fræn fræn fræn er skrivere

Periodical	•		az, 5, 4 p of folder, May 1954	(Additional card)
Card	:	2/2		
Abstract	:	5. "A qu	uartz resonator" by Plonskiy, A. F. energoizdat".	- Published by
		6. "Semi-	i-conducting electronic devices". cles. Published by publishing offi	A symposium of translated co of foreign literature.
		7. "Ways by Se	s and methods of work with public ladov, J. A Published by "Svyaz'i	iterature distributors" .zdat".
		m18510	eription of laboratory works on the on" by Fomichev, I. N. and Silkin, Bruenich Leningrad Electric-Techn	G. I Published by
		9. "Radio by Mil	o-technics" by Chistyakov, N. I. a litary publishing office.	nd Zharov, V. D Published
Institution	:	••••		
Submitted	.			



ZHAROV	V.G.			
	Disinfection in J1 '59.	chicken cholera. Veterinariia	a 36 no.7:65-67 (HIRA 12:10)	
	1. Vsesoyuznyy sanitarii.	nauchno-issledovatel'skiy inst (Chicken cholera)	titut veterinarnoy	




"Disinfe	ction of eggs	in avian paste	urellosis"		
Veterinariya,	vol. 39, no.	5, May 1962 p	• 79		
	1				
			에 가장 보라를 하시다. 기계 (지기 기계		
된 1985년 2월 1일 2일 2월 1일 전 2일 1일 2일					


DEREVITSKAYA, V.A.; ZHARCV, V.G.; KOCHETKOV, N.K.


Structure of group substances of blood. Proteolysis of the A group substance. Dokl. AN SSSR 153 no.2:342-345 N '63. (MIRA 16:12)


1. Institut khimii prirodnykh soyedineniy AN SSSR. 2. Chlenkorrespondent AN SSSR (for Kochetkov).



Beavers of the Bolshoy Kemchug River. Zool. zhur. 41 no.6: 957-959 Je 162. (MIRA 15:7)
1. Agricultural Institute of Irkutsk. (Bolshoy Kemchug River-Beavers)
경영화 (1) 장면 전략 경영화 (1) 경영화 (1) 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전
사용하다 시간 사용을 가능하는 것이다. 그런 그런 그는 그는 그는 그는 그는 그를 보고 있다. 40 동안에 지역을 통해 가능하는 것이다.
하는 경험에 보고 되었다. 그렇게 되었다면 함께 하는 것이 되었다. 그런 그는 그는 그는 그는 그는 그는 그는 것이 되었다. 소프를 하고 말을 하는 것이 말을 하고 있다. 그는 것이 말을 만든 것이 되었다. 그는 것이 말을 하는 것이 되었다. 그는 것이 되었다. 그는 것이 없는 것이 없는 것이 없다. 그는 것이 없는 것이 요그를 하게 하는 것이 되었다. 그들은 것이 없는 것이 되었다. 그는 것이 되었다. 그는 것이 되었다. 그는 것이 없는 것이 없는 것이 없는 것이 없다.
현실 등 경험 등 경험 등 경험 등 기계 등 경험 등 기계 등 경험 등 기계 등 기







ZHAROV,	Volto.			
	Tuna fish of the the expedition of	tropical Atlantic; acc 1959. Trudy BaltNIRO	no.7:17-30 '61	
		(Atlantic OceanTuna	fish)	(MIRA 15:2)


Ē	SOURCE CODE: UR/0000/66/000/000/0109/0112
	JTHOR: Rastegayev, M. V.; Danil chenko, A. N.; Kashin. V. I.; Zharov, V. H.;
	ingvikov, G. A.
	Old: none
	TITIEL Investigation of the recrystallization process in tungsten
	SOURCE: AN SSSR. Institut metallurgii. Svoystva i primenentye znaropiosation Source: AN SSSR. Institut metallurgii. Svoystva i primenentye znaropiosation Source: Svoystva i primenentye znaropiosation Svoystva i primenentye znaropi
	TOPIC TAGS: tungsten, metal recrystallization
١	ABSTRACT: The subject of the investigation was vacuum melted tungsten, reduced with a high the niobium. The tungsten billets with a diameter of 35 mm were worked down on a lathe to niobium. The tungsten billets with a diameter of 39 mm. Upsetting of the a diameter of 16 mm and were cut into samples with a height of 39 mm. Upsetting of the diameter of 16 mm and were cut into samples with a degree of reduction of about 40%. The samples was done in a hydraulic press with a degree of reduction of about 40%.
	first part of the samples was subjected to stepwise annealing in a vacuum functional first part of the samples was subjected to stepwise annealing in a vacuum function and first part of the samples was allowed annealing in a vacuum function and first part of the samples were cooled in the furnace to 20°; [Vacuum 10 mm Hg] at temperatures of 1250, 1400, 1600, 1800, and 2000° for a period (vacuum 10 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 2000° for a period (vacuum 10 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 2000° for a period (vacuum 10 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 2000° for a period (vacuum 10 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 2000° for a period (vacuum 10 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 2000° for a period (vacuum 10 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 2000° for a period (vacuum 10 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 2000° for a period (vacuum 10 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 2000° for a period (vacuum 10 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 1800, and 1800 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 1800 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 1800 mm Hg) at temperatures of 1250, 1400, 1600, 1800, and 1800, and 1800 mm Hg) at temperatures of 1250, 1400, 1600, and 1800, and
	polished samples were then prepared and examined for degree of recrystallization experimental results are shown in a three dimensional diagram of the recrystallization
	Cord 1/2


.AGC NR: AT6034443

of the cast structure of tungsten. Analysis of the results shows that 100% recrystallization of the cast structure in the samples, deformed by approximately 40% in the temperature interval from 400-1200°, is completed at a stepwise annealing temperature of 2000°. With direct heating(without steps) of the second part of the samples, although complete recrystallization was assured, the boundaries of the old crystals were retained. With annealing temperatures in the interval from 1400-1800°, the cast structure recrystallized partially within the limits of 25-90%. At an annealing temperature of 1250°, the cast structure of the samples deformed by 40% in the temperature interval 200-1250° did not recrystallize. The cast structure, deformed at 200°, did not recrystallize in the temperature interval from 1250-1600°. However, in samples deformed at higher temperatures (800°) partial recrystallization was observed. Orig. art. has: 3 figures and 1 table.


SUB CODE: 11/ SUBM DATE: 10Jun66/ ORIG REF: 003/ OTH REF: 001


Car. 2/2







ACC NO. ADCOCCOO	
ACC-NRI-AP6032538	SOURCE CODE: UR/0413/66/000/017/0149/0149
INVENTOR: Brant, A. A. Ko ORG: none	estyuchenko, K. A.; Lebedev, G. P.; Zharov, V. M.
TITLE: A method of fasten marine gear and equipme	ing fillers to plastic paneling of two- and three-layered ent structures. Class 65, No. 185716
SCURCE: Izobreteniya, prom nedonial TOPIC TAGS: Yfastener, ata	myshlennyye obraztsy, tovarnyye znaki, no. 17, 1966, 149 shiphilding matters product '
AESTRACT: This Author Cert paneling of two- and three- plastic plugs inserted betw appearance of the assembly, cal channels between the pa	tificate introduces a method of fastening fillers to plastic -layered marine gear and equipment structures by means of ween the panels. For greater holding power and more esthetic, the seats for the fasteners are formed by making cylindrianel layers with diameters larger than the opening in the
filled with a solidifier wh	out. Orig. art. has: 1 figure.


















"APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R002064610007-5




"APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R002064610007-5





























Liquid - vapor equilibrium in the system ethyl alcohol - benzene and the thermodynamic checking of the data. Zhur. prikl. khim. 36 no.11:2397-2402 N '63. (MIRA 17:1)
1. Leningradskiy gosudarstvennyy universitet.
: 사용하다 하다 되었다는 것을 하는 것을 하는 것이 되었다. 그는 것은 사용하다 하는 것을 하는 것 같은 사용하는 것을 하는 것 하는 것을 하는 것을
다음 사용하는 경우를 가는 경험으로 다른 아이를 하는 것이 되었다. 그 사용을 가는 것이 되었다. 사용하는 사용하는 것이 되었다. 그 사용하는 것이 되었다. 그 사용하는 것이 되었다. 그 사용하는 것이 되었다. 사용하는 것이 되었다. 사용하는 것이 되었다. 그 사용하는 것이 되었다. 그 사용하는 것이 되었다.






L 36882-66 EWT(m)/EWP(e)/EWP(v)/T WW/WH ACC NR: AP6019873 (A) SOURCE CODE: UR/0131/66/000/002/0052/0055	
AUTHOR: Ved, Ye. I.; Zharov, Ye. F. ORG: Kharkov Polytechnic Institute im. V. I. Lenin (Khar'kovskiy politekhnicheskiy	
institut) TITIE: Hydrothermal preparation of refractory materials with an alumina-magnesia binder > SOURCE: Ogneupory, no. 2, 1966, 52-55	
TOPIC TAGS: refractory, alumina, magnesium oxide ABSTRACT: The MgO-Al ₂ O ₃ -H ₂ O system was studied under conditions of autoclave treatment. Cylindrical specimens of mixtures of Mg(OH) ₂ and Al ₂ O ₃ , Mg(OH) ₂ and Al(OH) ₃ , ment. Cylindrical specimens of mixtures of Mg(OH) ₂ and Al ₂ O ₃ , Mg(OH) ₂ and Al ₂ O ₃ were pressed, steamed at a pressure of 8 technical atmospheres for and MgO and Al ₂ O ₃ were pressed, steamed at a pressure of 8 technical atmospheres for and MgO and Al ₂ O ₃ were pressed, steamed at a pressure of 8 technical atmospheres for and HgO and Al ₂ O ₃ were pressed, steamed at 100-110°C, then tested for compressive 8-12 hours, dried to constant weight at 100-110°C, then tested for compressive 8-12 hours, dried to constant weight at 100-110°C, then tested for compressive 8-12 hours, dried to constant weight at 100-110°C, then tested for compressive 8-12 hours, dried to constant weight at 100-110°C, then tested for compressive 8-12 hours, dried to compressive 8-12 hours, dried to constant weight at 100-110°C, then tested for compressive 8-12 hours, dried to compressive 9-12 ho	


ol 2	of pro es, whi figures	duction of the duck of the duc	on of a diffictable	efract cult t	ories i	nclud when	e the other	possil method	bility is are	of ma	aking	large-	sized art	arti-	
នបា	B CODE;	11/	SUBM	Date:	none/	ORIG	REF:	009/	отн г	REF:	002				
											• •				
LS Card	2/2													- -	_




ZHAROV, Ye. I. Comparative therapeutic activity and effect of nitranol and nitroglycerin on the cardiovascular system in stenocardia. Terap. arkh. no.7:54-57 '61. (MIRA 15:2) 1. Iz kafedry gospital'noy terapii (sav. - prof. I. B. Shulutko) Kalininskogo meditsinskogo instituta. (CARDIOVASCULAR SYSTEM) (NITRANOL) (NITROGINCERIN—THERAPEUTIC USE) (ANGINA PECTORIS)

771 507			
	Ye. Ye., inzh.		
	Repairing rotary pumps. Torf. prom. 35 no.5:34-35 '58.	(MIRA 11:10)	
	1.Petrovsko-Kobelevskoye torfopredpriyatiye (Pumping machinery)		
	불면 변경하는 발표로 폭발되었다고만 보이지를 하고 있다.		
	소설한 항상 현존 현존에게 하는 것을 받는데 하는 것이 되고 있다. 그 전 보는 그 보고 있을 것이 하는 것이 되고 있습니다. 이 사람들이 되고 있다. 그 것이 되는 것이 되었습니다.		
	의 경우 마음 그리고 있는데 함께 보는 것이 되는 것이 되는 것이 되는 것이 되는 것이 되는 것이다. 그리고 있는 것이 말을 다시하는데 있는데 이 아니라 말을 받았다. 그리고 있는데 이 아니라 되는 것이다.		
	호텔 왕호 필요에 되지를 보고 밝은 시간를 먹는 그는 것이 있다. 그리는		
	불어 내일 나는 학생님이 없는 것이다. 나는 사람은 사람이 보고 있다.		
	고리 하는 사람들이 가는 사람들이 되었다. 그는 살아 있는 것이 없는 것이다.		
	이번 이번에 가장 하는 것이다. 그는 그는 그는 그는 이번		
	등 마음을 보통되는 사람들은 기술을 가능하는데 하는데 하다 다시다.		
	관계를 걸려면 이 요속불법을 지어 지금 하는 것이다. 그는 그 일		
	[발생으로 함께 발생품] 이 하는데 되어 있는데 되는데 되는데		
	그러 그 중 이 화를 내가는 시민화의 그림에는 한다고 됐		
	가지 하기 위한 문에 살아가는 그렇게 되었다. 이 그는 네 말다.		
	그들은 살림으로 가고 말을 들어 하는 것이 되었다면 하는 것이다.		
		الرباط عربسيون	





	L 4125-66 EAT(1)/Bar (-)/m/-	
:	ACC NR. AP5027226 (m)/T/EMP(t)/EMP(b)/EMA(c) TIP/c) ID/co	
; i a.	00000 (2000) 10 /0000 72 6 15 71 72 72 72 72 72 72 72 72 72 72 72 72 72	
5.0	AUTHOR: Gruzin, P. L.; Zharov, Yu. D.	
:5- 	ORG: none	1 1 g
	TITLE: Investigation of the interest	
<u> </u>	TITLE: Investigation of the interaction of point radiative defects with disloca-	
	SOURCE: AN SSSR. Doklady to 16.	Ÿ.
	TOPIC TAGS: crystal defect, lattice defect, crystal lattice defect, crystal dis-	
10 m	ABSTRACT : The Manual Control of the Manual	
	ABSTRACT: The dependence of intrinsic friction on the deformation amplitude and release investigated. Rod-shaped specimens (cross section, 4 x 4 x 70 mm)	
7	to preliminary pure copper has	
	Deformation amplitude of 2.5-3.5 cps was used to determine the method of bending	
	with 2.2-May of another true limits of 10-8 to 10-6	
- 0	dependent of amiliating at 200. In the range in which in the checkrons/cm2. Amplitude	
: l . a	and 150C. Expanding the measurements were made at towns and in-	
	63 and 82C coincided with the theoretical diagram. At 120C, the changes of intrinsic	,
C	ord 1/2 UDC: 539.67	
31 752	。我们们的证据,这个人们的证明,我们们是一个人,我们们的证明,我们们的证明,我们们的证明,我们们的证明的证明,我们们的证明,我们们的证明的证明的证明的证明的证明的 第一章 第一章 第一章 第一章 第一章 第二章 第二章 第二章 第二章 第二章 第二章 第二章 第二章 第二章 第二	12個 極色



ACCESSION NR: AR4046014 S/0058/64/000/007/E093/E093

SOURCE: Ref. zh. Fizika, Abs. 7E705

AUTHORS: Vasil'yev, A. A.; Gruzin, P. L.; Zharov, Yu. D.;
Polikarpov, Yu. A.; Trokin, Yu. A.; Breger, A. Kh.; Gol'din, V. A.

TITLE: Effects of gamma and neutron irradiation on the internal friction of copper

CITED SOURCE: Sb. Relaksats. yavleniya v met. i splavakh. M.,
Metallurgizdat, 1963, 250-257

TOPIC TAGS: internal friction, copper, polycrystal, single crystal, gamma irradiation, neutron irradiation, temperature dependence, annealing

TRANSLATION: The internal friction (IF) of polycrystalline and single-crystal samples of copper was measured under flexural vibra-


Card 1/2


ACCESSION NR: AR4046014


tions, using a Forster type installation, in the interval from -196 to +200C, before and after irradiation with gamma rays (Co⁶⁰) and neutrons (Po-Be source and a reactor). Prior deformation of the samples, on the order of 10⁻³, greatly increases the IF level. The subsequent irradiation of the samples with neutrons leads to a decrease in the IF to one-half, but the level of the IF remains above that in annealed copper. Annealing at 200C for three hours lowers the IF level to the initial value. In the study of the temperature dependence of the IF it has been established that irradiation lowers the IF background introduced by the prior deformation. Irradiation with gamma rays increases the IF. An analysis of the amplitude and temperature dependences of the IF shows that the interaction of the dislocations with the point defect is the principal process. L. Gordiyenko.


SUB CODE: MM. SS

ENCL: 00










	· · · · · · · · · · · · · · · · · · ·			
-	L 7709-66 ENT(m)/EPF(c)/ENP(j)/T	VAV/RW		
	1 1140 11kl 14 302 003 /	# # 1 \ W # 1	7000701170002/0007	
	AUDIOR: Nagibina, T. D.; Yasenkova, Kuzin, V. S.; Kuznetsova, A. I.; Zha	L. S. Alikberoys G. I. : Kor	ablev vo cht	
	DRG: Treet title - C O	1	771	
	khimii AN SSSP). Manager	IM, Zelinskiy, AN SSER (Instite	ut organicheskoy	
	(Hoskovskiy institut tonkoy khimiche	skoy tekhnologii)	Tr. Acresionomon 44	
	TITLE: Phenol-containing rubber SkD			
	SOURCE: Kauchuk i rezina, no. 11, 19			
	TOPIC TAGS: . synthetic rubber, phenol	containing rubber, copolymer		
	ABSTRACT: Phenol-containing rubbers	have been prepared by amulaion	Fonolymentack	
	Diesence of distance		ADA(1) /- AL- 1	
	IR absorption spectra (all exhibited	by copolymers containing 101 o	physical and	
	4: OBUF-10 Tubbara ass to	The state of the s	a double best at	-
	of the rubbers; wilconfeet attraction. T	he formulation of the mixtures.	nol-formaldehyde	
	444 bill BOULCE. The measuretter a sec-	The second secon		•
	diene-styrene SKS-30 vulcanisates, bu	t their fatigue strength in con	pression is	:
	Cord 1/2	(3		
		UDC: 678.762.2-134.647:54	6/547.07.00	
			1901 3117	
18				
	. Notice and the second			1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The state of the s	· 在12年12日 122 122 122 123			



Effect of overstraining experimental leukosis.	the central nervous sy Arkhiv pat. 14, No. 3.			em in mi 952.	ce on the	pment of	ent of		
Monthly List of Russian									
			•						

